

Depression Medications

Medication Name Brand (generic)	Starting Dose	Target Dose Total daily	Cost/ month	Side Effects					Notes
				Sedation	Agitation	GI	Sexual	Weight	
Selective Serotonin Reuptake Inhibitors (SSRI)									
Celexa (citalopram) -g	20 mg daily	20-40 mg	\$25-50^	0	0	+	+	+	Risk of serotonin syndrome ¹ with: sibutramine (Meridia), "triptans", venlafaxine (Effexor), trazodone (Desyrel)
Lexapro (escitalopram)	10 mg daily	10-20 mg	\$100-125	0	0	+	+	+	
Prozac (fluoxetine) -g	20 mg daily	20-40 mg	\$10-25^	+	++	++	+	+	
Paxil (paroxetine) -g	20 mg daily	20-40 mg	\$10-25^	++	0	++	++	+	
Pexeva (paroxetine)	20 mg daily	20-40 mg	\$150-200	++	0	++	++	+	
Paxil CR (paroxetine ER) -g	25 mg daily	20-40 mg	\$100-125	++	0	++	++	+	
Zoloft (sertraline) -g	50 mg daily	50-150 mg	\$10-25^	+	+	++	++	+	
Serotonin and Norepinephrine Reuptake Inhibitors (SNRI)									
Cymbalta (duloxetine)	30 mg daily	60 mg	\$100-150	+	+	++	++	0	QT prolongation with amiodarone Risk of serotonin syndrome ¹ with "triptans" and SSRIs Increased duloxetine levels with ciprofloxacin
Pristiq (desvenlafaxine)	50 mg daily	50 mg	\$100-150	++	+	+++	++	0	
Effexor (venlafaxine) -g	37.5 mg twice daily	150 mg	\$100-150	++	+	+++	++	0	
Effexor XR (venlafaxine ER) -g	75 mg daily	150 mg	\$100-200	++	+	+++	++	0	
Norepinephrine and Dopamine Reuptake Inhibitors (BUP-SR/XL)									
Aplenzin (bupropion)	174 mg daily	300 mg	\$150-500	++	+	+	+	++	Increased risk of seizures with alcohol Do not use with MAOIs
Budeprion SR (bupropion 12 hour)	150 mg twice daily		\$50-150	+	++	++	0	+	
Budeprion XL (bupropion24h)	150 mg daily		\$100-150	+	++	++	0	+	
Wellbutrin (bupropion) -g	100 mg twice daily		\$50-100	+	++	++	0	+	
Wellbutrin SR (bupropion 12 hour) -g	150 mg twice daily		\$50-150	+	++	++	0	+	
Wellbutrin XL (bupropion 24 hour) -g	150 mg daily		\$100-150	+	++	++	0	+	
Forfiro XL (bupropion XR)	450 mg daily			+	++	++	0	+	
Serotonin Antagonists (MRT)									
Remeron, Remeron SolTab (mirtazepine) -g	15 mg at bedtime	15-30 mg	\$50-100^	+++	0	0	0	++	CNS depression with clonidine
Serotonin Reuptake Inhibitors and Agonists									
Viibryd (vilazodone)	10 mg daily	40 mg	\$125-150	+	+	+	+	+	Avoid MAOIs for 14 days

Key: g = available as a generic, ^ = available for \$4-10/month, side effects: 0 (none), + (1-10% of patients), ++ (11-20% of patients), +++ (21-30% of patients), MAOI = monoamine oxidase inhibitor, ¹serotonin syndrome symptoms include agitation, hallucinations, diarrhea, vomiting, increased heart rate, blood pressure, and body temperature.

Depression Medications

Medication Name Brand (generic)	Starting Dose	Target Dose Total daily	Cost/ month	Side Effects					Notes
				Sedation	Agitation	GI	Sexual	Weight	
Serotonin Antagonists and Reuptake Inhibitors									
Desyrel (trazodone) -g	50 mg twice daily	600 mg	\$10-50^	+++	0	+	+	+	CNS depression with benzodiazepines Serotonin syndrome ¹ with SSRIs
Tricyclic Antidepressants (TCA)									
Anafranil (clomipramine) -g	25 mg daily	100 mg	\$25-75	++	+	++	++	+	Avoid MAOIs for 14 days Paralysis of intestinal muscle may occur with anticholinergic drugs Cimetidine may increase levels of TCAs Additive effect with QT prolongation medications
Asendin (amoxapine) -g	50 mg two or three times daily	200-300 mg	\$25-50	++	+	++	++	+	
Elavil (amitriptyline) -g	25 mg daily	150 mg	\$10-25^	++	+	++	++	+	
Norpramin (desipramine) -g	25 mg daily	300 mg	\$50-150	+	+	+	+	+	
Pamelor (nortriptyline) -g	25 mg daily	150 mg	\$10-25^	+	+	+	+	+	
Sinequan (doxepin) -g	25 mg daily	75-150 mg	\$10-25^	+	+	+	+	+	
Surmontil (trimipramine)	100 mg daily	150 mg	\$200	+	+	+	+	+	
Tofranil, Tofranil PM (imipramine) -g	25 mg daily	100 mg	\$10-25^	+	+	+	+	+	
Vivactil (protriptyline) -g	5 mg three times daily	15-60 mg	\$100	+	+	+	+	+	
Atypical Antipsychotics (AAP)									
Abilify (aripiprazole)	2-5 mg daily	15 mg Titrate by 5 mg	\$500	+	+	++	+	+	Doses are indicated for depression; not psychosis Titrate doses to therapeutic effect Metabolic side effects highest with clozapine, olanzapine, quetiapine, and risperidone
Zyprexa (olanzapine) -g	2.5 mg daily	20 mg Titrate by 5 mg	\$300-400	++	++	++	+	++	
Seroquel, Seroquel XR (quetiapine) -g	25-50 mg daily	300 mg Titrate by 25-50 mg	\$50-300	++	++	++	+	++	
Risperdal (risperidone) -g	0.25-0.5 mg daily	0.5-2 mg	\$125-300	++	+	++	+	++	
Geodon (ziprasidone)	20 mg daily	20-160mg	\$500-600	++	+	++	+	+	

Key: g = available as a generic, ^ = available for \$4-10/month, side effects: 0 (none), + (1-10% of patients), ++ (11-20% of patients), +++ (21-30% of patients), MAOI = monoamine oxidase inhibitor, ¹serotonin syndrome symptoms include agitation, hallucinations, diarrhea, vomiting, increased heart rate, blood pressure, and body temperature.



Depression Medications (cont)

Medication Name Brand (generic)	Starting Dose	Target Dose Total daily	Cost/ month	Side Effects					Notes
				Sedation	Agitation	GI	Sexual	Weight	
Other Agents									
Symbax (olanzapine/ fluoxetine)	6/ 25 mg daily	6-12/ 25-50 mg	\$450	+	+	+	+	++	See individual agents
BuSpar (buspirone – Bus) -g	7.5 mg twice daily	20- 30mg	\$50- 100^	+	+	+	0	0	Avoid alcohol and grapefruit juice Do not use with MAOIs
Lamictal (lamotrigine) -g	25 mg daily	50- 100mg	\$100	+	+	+	+	+	Avoid alcohol Risk of Stevens Johnson Syndrome skin reactions
Eskalith, Eskalith CR (lithium – Li) -g	100 mg two or three times daily	600- 900mg	\$25- 100^	+	0	+	0	+	Target serum level is 0.4-0.6 mEq/L
Cytomel (liothyronine – T ₃)	25 mcg daily	25-50 mcg	\$50	0	+	+	0	0	Monitor thyroid levels at least annually
Ludiomil (maprotiline) -g	25 mg two or three times daily	150 mg	\$50- 100	+	+	+	0	+	Additive effect with QT prolongation medications

Key: g = available as a generic, ^ = available for \$4-10/month, side effects: 0 (none), + (1-10% of patients), ++ (11-20% of patients), +++ (21-30% of patients), MAOI = monoamine oxidase inhibitor, ¹serotonin syndrome symptoms include agitation, hallucinations, diarrhea, vomiting, increased heart rate, blood pressure, and body temperature.