Patient Identification and Tracking

Collaborative Care Training Section 4



Objective and Learning Outcomes

Objective

 Discuss the technologies involved in the CoCM process and their application toward population health and treat to target

Learning Outcomes

- Explain population health as it relates to CoCM
- Describe how the systematic case review tool is a critical part of CoCM
- Apply the disease registry to patient identification
- Apply a treatment to target approach to the CoCM process

Components of the Evidence-Based Model

- Patient Centered Care
 - Effective collaboration between BHCMs and PCPs, incorporating patient goals into the treatment plan

Measurement-Based Treatment to Target

- Measurable treatment goals and outcomes defined and tracked for each patient (PHQ-9/GAD-7)
- Treatments are actively changed until the clinical goals are achieved

• Population-Based Care

- Use of systematic case review tool
- Defined and tracked patient population to ensure no one falls through the cracks

• Evidence-Based Care

- Treatments are based on evidence
- Accountable Care
 - Providers are accountable and reimbursed for quality of care and clinical outcomes

Data-Based Tools to Support CoCM

Systematic Case Review Tool

- Summary of key treatment information (e.g., outcome measure scores, dates of contacts) for each patient
- Used by behavioral health care manager (BHCM) and psychiatric consultant to regularly review the CoCM caseload
- Need for CoCM service delivery

Disease Registry

- List of patients with a diagnosis of depression, anxiety, or other behavioral health condition
- Could be incorporated with existing chronic disease registry
- Used to identify patients who are eligible for the CoCM services
- Used to report to BCBSM

Defining 'Improvement': Outcome Measures

• Validated Outcome Measures:

- PHQ-9 (Patient Health Questionnaire) Depression screening
- GAD-7 (Generalized Anxiety Disorder) Anxiety screening
- Ways to define Improvement:
 - 5-point reduction in score
 - 50% reduction in score
 - Score less than 5 (ideal discharge goal is remission)
- Tracking PHQ-9 score data is required for CoCM service delivery; Tracking GAD-7 score data is highly recommended but not required.

Disease Registry

- Activities
 - Identify patients eligible for CoCM services
 - Report referral, enrollment, and patient outcome improvements to BCBCSM

- Required for Inclusion
 - Diagnosis of depression and/or anxiety in a clinical setting
 - PHQ-9 and/or GAD-7 of 10+
- Additional Avenues for Inclusion:
 - New or changed dose of antidepressant, antipsychotic, or anxiolytic
 - Direct referral to CoCM services

Disease Registry

Rif Patient DOB	Age Se	ex	PCP	Last Full PHQ	Last PHQ9 Score	Last GAD-7 Screening Date	Last GAD-7 Score	Last Primary Care Visit	Last Social Worker Visit	Primary Care Next Appt
	18 y.o. Fe		Sylvestre, Nastassia Cassandra, MD	10/30/2018		03/13/2020	10	12/27/2019		05/19/2020
	18 y.o. Fe		Gessner, Lynn Michelle, MD	04/14/2020	11	04/14/2020	18	01/08/2019		
	18 y.o. Fe		Gessner, Lynn Michelle, MD	04/23/2020	15	04/23/2020	10	02/10/2020		
	18 y.o. Fe		Sylvestre, Nastassia Cassandra, MD	04/15/2020	7	04/15/2020	15	02/18/2020		05/29/2020
	19 y.o. Fe	emale	Gessne <mark>r, L</mark> ynn Michelle, MD	04/03/2020	11			03/02/2020		05/15/2020
	19 y.o. M		Phys, Self-Refer Or No Pcp/Referring	07/24/2018				06/18/2019		05/12/2020
	21 y.o. M		Scott-Craig, Thomas Peter Claire, MD	07/17/2018		03/12/2020	14	03/12/2020		
	21 y.o. Fe		Phys, Self-Refer Or No Pcp/Referring	04/10/2020	13	03/23/2020	15	03/23/2020		
	21 y.o. M		100000000000000000000000000000000000000	01/13/2020	20	0 Scroll to Selected R	ow	01/13/2020	04/27/2018	

Note: This example does not show all recommended components; see previous slides for details.

Systematic Case Review Tool

Patient Infor	Patient Information		Contact Information					Depression Outcomes					Anxiety Outcomes				Psychiatric Panel Review Information				
Name	Treatment Status	Date of Initial Contact	Date of Most Recent Contact	Number of Patient Contacts Completed	Weeks in Treatment	Date Next Contact Due ↓î	Initial PHQ-9	Most Recent PHQ-9	Difference in Most Recent PHQ-9	Most Recent PHQ-9 #9	R	e of Most ecent HQ-9	Initial GAD-7 ▼	Most Recent GAD-7	Difference in Most Recent GAD-7	Date	e of Most lecent BAD-7	Date of Most Recent Panel Review	Flag to Discuss	Patients Not Improving at 8 Wks	()utstanding
Lion, Leo	Active	12/17/18	▶ 3/29/19	3	19	▶ 4/28/19	21	21	0	0	⊳	3/29/19	21	21	0	⊳	3/29/19	▶ 4/5/19			
Doe, Jane	Active	4/12/19	▶ 4/22/19	3	2	▶ 4/29/19	17			0	⊳	4/12/19	19			⊳	4/12/19	▶ 4/19/19	Flag to Discuss		
Green, Sky	Active	12/24/18	▶ 4/17/19	6	18	► 5/1/19	17	5	-5	0	⊳	4/17/19	18	√ 4	-6	⊳	4/17/19	▶ 4/17/19			
Smith, John	Active	2/28/19	▶ 4/17/19	2	9	► 5/1/19	7	8	▶ 1	0	⊳	4/17/19	21	12	-9	⊳	4/17/19	▶ 4/19/19		Attn Needed	
Blue, Jeans	Active	4/23/19	▶ 4/23/19	1	1	Þ 5/7/19	16			0	⊳	4/23/19	19			⊳	4/23/19	▶ 4/26/19	Flag to Discuss		Pending
Yellow, Joy	Active	12/31/18	▶ 4/11/19	7	17	▶ 5/11/19	19	11	0	0	⊳	4/11/19	17	21	0	⊳	4/11/19	▶ 4/12/19			Pending
Jupiter, Mars	Active	12/17/18	▶ 4/29/19	10	19	▶ 5/13/19	18	√ 3	-7	0	⊳	4/29/19	21	8	▶ 5	⊳	4/29/19	▶ 4/12/19			
Shine, Sun	Active	4/29/19	▶ 4/29/19	1	0	▶ 5/13/19	22			0	⊳	4/29/19	21			⊳	4/29/19		Flag to Discuss		
Michigan, Cherry	Active	10/22/18	▶ 4/30/19	13	27	▶ 5/14/19	18	21	0	0	⊳	4/30/19	20	21	0	⊳	4/30/19	▶ 4/12/19			
Smile, Big	Active	11/13/18	▶ 4/30/19	8	24	▶ 5/30/19	20	11	-7	0	⊳	4/25/19	17	10	-7	⊳	4/25/19	▶ 4/26/19			

Note: This example includes many "nice to have" components; more simplified tools will suffice.

Infrastructure: A Population-Based Approach

Systematic Case Review

- Key component of CoCM
- Weekly meeting between the psychiatric consultant and BHCM
- Review the caseload and provide expert treatment recommendations
- Required

Program Performance Review

• Administrative discussion

•

- Evaluate program performance to optimize delivery of CoCM services
- Review patient outcomes, process measures, billing, staffing, and operations
- Strongly recommended

Note: Caseload review and program review meetings may occur at the provider organization or practice level depending on the

oversight structure


Clinical Caseload Supervision

- Clinical discussion
- A high-level review of the caseload with the BHCM and clinical supervisor
- Keeps the caseload "fluid," allowing for enrollment of new patients
- Discuss ongoing development of skills (e.g., Motivational Interviewing, behavioral activation)
- Strongly Recommended

Summary: Recommended Program Oversight

Meeting	Goal	Participants	Developing Programs (3-6 Mo)	Mature Programs (6+ Mo)	Required	
Systematic Case Review	Provide expert treatment recommendations	BHCM and psychiatric consultant	Weekly	Weekly	Required	
Program Performance Review	Review performance and operations of CoCM services, including patient outcomes, fidelity, billing, and program operations.	Program manager, clinical supervisor, quality improvement staff Optional: BHCM, PCP champion, leadership, psychiatric consultant, EHR or HIT staff	Monthly	Quarterly	Optional	
Clinical Caseload Supervision	High-level review of caseload. Keep the caseload "fluid" by discussing appropriate enrollment, treatment, and triage.	BHCM and clinical supervisor Optional: psychiatric consultant	Monthly	Quarterly	Optional	

Note: These are the minimum recommended frequency; review may occur more often as desired by the provider organization or practice.



Systematic Case Review

- Use the systematic case review tool to review of the caseload
 - Filter through data fields to keep patients from falling through the cracks
- Discuss specific questions from PCPs or patients
- Discuss patients that are:
 - Newly enrolled in CoCM services
 - Not improving or have severe outcome measure scores
 - Not recently discussed with the psychiatric consultant
 - Not engaging in care
 - Improving, in remission, ready for relapse prevention planning, or disenrollment

• • • • • • • • • •

Clinical Caseload Supervision

Goal: Keep the Optional caseload "fluid" – allowing the Participants: Psychiatric practice to Consultant continue accepting new patients Participants: **BHCM** and Clinical Recommended Supervisor Scheduled monthly for developing programs, quarterly for mature programs

Clinical Caseload Supervision


- Use the systematic case review tool to conduct a highlevel clinical review of the caseload
 - Evaluate caseload volume, acuity, and needs
 - Evaluate BHCM productivity, capacity for ongoing patient engagement
- Discuss which patients would benefit from:
 - Relapse prevention planning
 - Different level of care
 - Being contacted at a different frequency
 - Discontinuing CoCM services
- Discuss ongoing skill development

- Contact patients to administer outcome measures, complete relapse prevention plans
- Discharge patients or refer patients to different level of care
- Make a note of which patients to discuss during systematic case review
- Follow-up with PCPs
- Explore opportunities for skill development

Monitoring Clinical Performance

- Are your patient population's outcome measures improving as expected for the specified population?
 - Review patient outcomes grouped by BHCM, PCP, practice, and time in treatment (e.g., 0-3 months, 3-6 months)
 - Treatment duration range 3-12 months, average of 6 months
 - Target: Approximately 50% of patients should show improvement* after three months of treatment
 - * Improvement is defined as a 5-point reduction, 50% reduction, or score less than 5 in PHQ-9 and/or GAD-7 score

Tracking Patient Outcomes



70%

Depression Outcomes – F2, F3

% patients with improvement in depression score of 40% and/or reaching remission (PHQ-9 less than 5)

All measures are %	Practice A	Practice B	Practice C
Improvement rate (Goal: 5 points)	74	87	75
Remission rate (Goal: below 5)	26	40	36

Note : Results reflect patients enrolled at least 120 days and repeat PHQ-9 score completed at 120 days

Process Measures: CoCM Evidence-Base

- Early engagement in CoCM activities is a strong indicator of patients' future success
- Patient are contacted twice per month in the first two-four months of treatment (at minimum)
- Outcome Measures (e.g., PHQ-9) are administered monthly in the first two-four months of treatment
- Brief evidence-based therapeutic interventions (e.g. Motivational Interviewing, behavioral activation, problem solving therapy)


Unützer, J., Katon, W., Williams Jr, J. W., Callahan, C. M., Harpole, L., Hunkeler, E. M., ... & Oishi, S. M. (2001). Improving primary care for depression in late life: the design of a multicenter randomized trial. Medical care, 785-799.

Process Measures: Systematic Case Review

- Patients are discussed with the psychiatric consultant in systematic case review within two weeks after being enrolled
- Expert treatment recommendations from the psychiatric consultant are approved and implemented by the PCP and patient
- Patients not improving* within 8-12 weeks of treatment should be discussed with the psychiatric consultant in systematic case review to revise treatment recommendation

*improvement is defined as a 5-point reduction, 50% reduction, or score less than 5 in PHQ-9 and/or GAD-7 score

Unützer, J., Katon, W., Williams Jr, J. W., Callahan, C. M., Harpole, L., Hunkeler, E. M., ... & Oishi, S. M. (2001). Improving primary care for depression in late life: the design of a multicenter randomized trial. Medical care, 785-799.



Questions?