## **Patient Tracking**





## Population Health Management

BHCM will manage and populate a clinic-specific systematic case review tool. This will include entering patients, updating information, and viewing the systematic case review tool to dictate daily workflow and tasks

BHCM will run reports and gather data as appropriate in order to support fidelity to the model



# Outcome Targets The Goal is Remission

- Ideal target is remission score less than 5
- Other targets include:
- 5 point reduction in score
- 50% reduction in score

#### **Treatment – To - Target**

- Adjusting the treatment plan based on symptom measures is one of the most important components of collaborative care. Clinicians change the treatment until the patient has at least a 50% reduction in measured symptoms.
- Measuring symptoms frequently with PHQ 9, GAD 7, and self report, allows the providers and the patient to know whether the patient is having a full response, partial response or no response to treatment.
- These measures also provide information about which symptoms may be improving and which may not be. This information is important in making decisions about how to adjust treatment.
- Sharing PHQ-9 and GAD-7 scores and trends with the patient





#### **BHCM:**

Documents patient contacts and outcome measures in EHR and systematic case review tool (if separate from EHR)

Uses systematic case review tool to manage and track treatment progress for the entire caseload and discuss patients with the psychiatric consultant

Interactions									•
Filter: ① T-Ca	II O Face To Face O I	Mail						2	Summary
Date	Interaction Type Contact Type		Time (mins)	Purpose		Purpose 2		Contact #	Na
1									•
Interaction Typ	e: Contact 1	Type: Purp	pose:		Interacted with:	Name:	Co	ontact Number:	
Telephone Ca	II outgoin	ng call The	erapeutic Interve	ention	Patient	Patient	(	) -	
Length of interaction (whole minutes):			Purpose 2:			Relationship:			
18		Ou	utcomes/Screenir	ngs			Enroll F	opup	
Details: My	Phrases   Manage My P	hrases							
	stress tolerance using m		breathing.	A					
- Tronked on a	stress total and asmig in						<u>-</u>		
				Same day as v				enings complete erventions comp	
Interventions u	ised:			_	- 163 15 NO		plan/inte	.iventions comp	icteu
☐ Behavioral		m Solving Treatment	✓ Distress To	lerance  Motivation	nal Interviewing	Other Therapy			

### **Considerations: Patient Not Responding**

- Patients not improving during the critical treatment window should be reviewed with the Psychiatric Consultant in systematic case review
- Keep the SCR tool updated to capture trends





## Questions





